3F-S291 Series product description:

Standard: The International Building Code (IBC)

Certifications: CE, SGS OEM services available

Anodizing 6061-T6 angle aluminum(Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide seat plank and footplank

Stainless steel bolts

Powder coated finishes with optional colors

.

ID:3F-W650-F250L-S250L

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*38	250*38	2286/15	1691*600	0.3	59		
			4572/30	1691*600	0.5	106		

ID:3F-W650-F250-S291

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*50	291*50	2286/15	1710*600	0.3	63		
			4572/30	1710*600	0.6	114		

ID:3F-W650-F250-S291-B250

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*50	291*50	2286/15	1790*981	0.4	76		
			4572/30	1790*981	0.7	137		

ID:3F-W700-F397-S291

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	291*50	2286/15	1810*600	0.4	72		
			4572/30	1810*600	0.6	132		

ID:3F-W700-F397-S291-B250

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	291*50	2286/15	1890*981	0.4	85		
			4572/30	1890*981	0.7	155		

ID:3F-W700-F397-S291-B/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	291*50	2286/15	2050*1100	0.4	83		
			4572/30	2050*1100	0.7	149		

——Default Unit is mm

3F-S300 Series product description:

OEM services available

Certifications: CE, SGS

Anodizing 6061-T6 angle aluminum(Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide seat plank and footplank

Stainless steel bolts

Powder coated finishes with optional colors

ID:3F-W650-F291-S300

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	291*50	300*50	2286/15	1716*650	0.3	69		
			4572/30	1716*650	0.6	126		

ID:3F-W650-F291-S300-B250

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	291*50	300*50	2286/15	1798*981	0.4	82		
			4572/30	1798*981	0.7	149		

ID:3F-W700-F397-S300

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	300*50	2286/15	1816*650	0.4	76		
			4572/30	1816*650	0.7	140		

ID:3F-W700-F397-S300-B250

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	300*50	2286/15	1895*980	0.4	90		
			4572/30	1895*980	0.7	163		



ID:3F-W700-F397-S300-B/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	300*50	2286/15	2055*1100	0.4	87		
			4572/30	2055*1100	0.7	157		



Foot Plank	397*50*2 Aluminum Angle	291*50*2 Aluminum Alloy	250*50*2 Aluminum Alloy	300*50*2 Aluminum Alloy
Live Load	2.81kn/m²	2.06kn/m²	1.77kn/m²	2.13kn/m²

3F-SH-O Series product description:

Standard: The International Building Code (IBC)

Certifications: CE, SGS OEM services available

Anodizing 6061-T6 angle aluminum (Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide footplank

Stainless steel bolts

Optional colors of HDPE seats

ID:3F-W650-F250-SH-0

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*50	HDPE	2286/15	1716*619	0.4	98		
			4572/30	1716*619	0.8	184		

ID:3F-W650-F250-SH-0/2

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*50	HDPE	2286/15	1715*869	0.4	102		
			4572/30	1715*869	0.8	191		

ID:3F-W700-F397-SH-0

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/15	1816*619	0.5	106		
			4572/30	1816*619	0.8	201		

ID:3F-W700-F397-SH-0/2

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/15	1816*869	0.5	110		
			4572/30	1816*869	0.9	208		

ID:3F-W700-F397-SH-0/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/15	2055*1000	0.5	117		
			4572/30	2055*1000	0.9	219		

ID:3F-W700-F397-SH-2/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/15	2100*1295	0.5	119		
			4572/30	2100*1295	0.9	223		

3F-SH-1 / 3F-SH-2 Series product description:

OEM services available

Certifications: CE, SGS

Anodizing 6061-T6 angle aluminum (Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide footplank

Stainless steel bolts

Optional colors of HDPE seats

ID:3F-W700-F291-SH-1/2

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	291*50	HDPE	2286/15	1884*860	0.5	103		
			4572/30	1884*860	0.9	195		

ID:3F-W700-F397-SH-1/2

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/15	1884*860	0.5	110		
			4572/30	1884*860	1.0	208		

ID:3F-W700-F397-SH-1/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/15	1884*1295	0.6	121		
			4572/30	1884*1295	1.0	226		

ID:3F-W750-F397-SH-2

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
750	397*50	HDPE	2286/15	1983*860	0.5	119		
			4572/30	1983*860	0.9	225		

ID:3F-W750-F397-SH-2/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
750	397*50	HDPE	2286/15	2265*1200	0.5	128		
			4572/30	2265*1200	1.0	241		

Foot Plank	397*50*2 Aluminum Angle	291*50*2 Aluminum Alloy	HDPE	HDPE
Live Load	2.81kn/m³	2.06kn/m³	1.77kn/m³	2.13kn/m³

4F-S291 Series product description:

Standard: The International Building Code (IBC)

Certifications: CE, SGS OEM services available

Anodizing 6061-T6 angle aluminum(Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide seat plank and footplank

Stainless steel bolts

Powder coated finishes with optional colors

.

ID:4F-W650-F250L-S250L

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*38	250*38	2286/20	2341*738	0.4	83		
			4572/40	2341*738	0.6	149		

ID:4F-W650-F250-S291

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*50	291*50	2286/20	2360*750	0.4	88		
			4572/40	2360*750	0.8	160		

ID:4F-W650-F250-S291-B250

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*50	291*50	2286/20	2439*1131	0.5	101		
			4572/40	2439*1131	0.9	182		

ID:4F-W700-F397-S291

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	291*50	2286/20	2513*750	0.5	101		
			4572/40	2513*750	0.9	186		

ID:4F-W700-F397-S291-B250

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	291*50	2286/20	2545*1129	0.6	114		
			4572/40	2545*1129	1.0	209		

ID:4F-W700-F397-S291-B250/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	291*50	2286/20	2800*1250	0.6	114		
			4572/40	2800*1250	1.0	209		

——Default Unit is mm

4F-S300 Series product description:

OEM services available

Certifications: CE, SGS

Anodizing 6061-T6 angle aluminum(Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide seat plank and footplank

Powder coated finishes with optional colors

ID:4F-W650-F291-S300

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	291*50	300*50	2286/20	2366*800	0.4	96		
			4572/40	2366*800	0.8	175		

ID:4F-W650-F291-S300-B250

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	291*50	300*50	2286/20	2445*1131	0.5	111		
			4572/40	2445*1131	0.9	202		

ID:4F-W700-F397-S300

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	300*50	2286/20	2516*800	0.5	107		
			4572/40	2516*800	0.9	197		

ID:4F-W700-F397-S300-B250

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	300*50	2286/20	2595*1131	0.5	120		
			4572/40	2595*1131	1.0	220		

ID:4F-W700-F397-S300-B250/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	300*50	2286/20	2800*1250	0.5	122		
			4572/40	2800*1250	1.0	223		



Foot Plank	397*50*2 Aluminum Angle	291*50*2 Aluminum Alloy	250*50*2 Aluminum Alloy	300*50*2 Aluminum Alloy
Live Load	2.81kn/m^3	2.06kn/m^3	1.77kn/m^3	2.13kn/m^3

——Default Unit is mm

4F-SH-O Series product description:

Standard: The International Building Code (IBC)

Certifications: CE, SGS OEM services available

Anodizing 6061-T6 angle aluminum (Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide footplank

Stainless steel bolts

Optional colors of HDPE seats

.



ID:4F-W650-F250-SH-0

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*50	HDPE	2286/20	2366*770	0.6	134		
			4572/40	2366*770	1.0	252		

ID:4F-W650-F250-SH-02 (B)

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	250*50	HDPE	2286/20	2366*1000	0.6	138		
			4572/40	2366*1000	1.0	256		

ID:4F-W700-F397-SH-0

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/20	2516*770	0.6	147		
			4572/40	2516*770	1.1	278		

ID:4F-W700-F397-SH-0/2(B)

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/20	2516*1000	0.6	151		
			4572/40	2516*1000	1.2	282		

ID:4F-W700-F397-SH-0/2(T)

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/20	2800*1250	0.7	162		
			4572/40	2800*1250	1.2	304		







Foot Plank	397*50*2 Aluminum Angle	291*50*2 Aluminum Alloy	HDPE	HDPE
				
Live Load	2.81kn/m³	2.06kn/m³	1.77kn/m³	2.13kn/m³

——Default Unit is mm

4F-SH-1 / 4F-SH-2 Series product description:

OEM services available

Certifications: CE, SGS

Anodizing 6061-T6 angle aluminum (Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide footplank

Stainless steel bolts

Optional colors of HDPE seats

ID:4F-W700-F291-SH-1

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	291*50	HDPE	2286/20	2585*897	0.7	136		
			4572/40	2585*897	1.3	257		

ID:4F-W700-F291-SH-1/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	291*50	HDPE	2286/20	2876*1250	0.7	147		
			4572/40	2876*1250	1.3	274		

ID:4F-W700-F397-SH-1

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/20	2585*897	0.7	147		
			4572/40	2585*897	1.3	274		

ID:4F-W700-F397-SH-1/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/20	2876*1250	0.7	157		
			4572/40	2876*1250	1.4	294		

ID:4F-W750-F397-SH-2

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
750	397*50	HDPE	2286/20	2733*1000	0.7	164		
			4572/40	2733*1000	1.3	310		

ID:4F-W750-F397-SH-2/T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
750	397*50	HDPE	2286/20	3024*1250	0.7	174		
			4572/40	3024*1250	1.3	328		

——Default Unit is mm

5F-S250-T / 5F-S300-T Series product description:

OEM services available

Certifications: CE, SGS

Anodizing 6061-T6 angle aluminum(Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide seat plank and footplank

Stainless steel bolts

Powder coated finishes with optional colors

ID:5F-W650-F291-S250-T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	291*50	250*50	2286/25	3242*1400	0.5	135		
			4572/50	3242*1400	1.0	246		

ID:5F-W700-F397-S250-T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	250*50	2286/25	3442*1400	0.6	146		
			4572/50	3442*1400	1.1	267		

ID:5F-W650-F291-S300-T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	291*50	300*50	2286/25	3267*1400	0.6	147		
			4572/50	3267*1400	1.1	269		

ID:5F-W700-F397-S300-T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	300*50	2286/25	3487*1400	0.7	158		
			4572/50	3487*1400	1.3	291		

ID:5F-S300

Row Space	Foot Plank	Seats Plank	Length	Width/Height	CBM	KG		
750	Closed	300*50	6000+1830*N	6330*3480	2.3	665		



Foot Plank	397*50*2 Aluminum Angle	291*50*2 Aluminum Alloy	250*50*2 Aluminum Alloy	300*50*2 Aluminum Alloy
Live Load	2.81kn/m³	2.06kn/m³	1.77kn/m³	2.13kn/m³

——Default Unit is mm

5F-SH0-T / 5F-SH1-T Series product description:

OEM services available

Certifications: CE, SGS

Anodizing 6061-T6 angle aluminum (Size 50mm*5mm) angle frame understructure

Anodizing 6061-T6 aluminum oxide footplank

Stainless steel bolts

Optional colors of HDPE seats



ID:5F-W650-F291-SH0-T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	291*50	HDPE	2286/25	3242*1400	0.5	135		
			4572/50	3242*1400	1.0	246		

ID:5F-W700-F397-SH0-T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/25	3472*1450	0.8	211		
			4572/50	3472*1450	1.5	398		

ID:5F-W650-F291-SH1-T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
650	291*50	HDPE	2286/25	3386*1450	0.8	196		
			4572/50	3386*1450	1.5	378		

ID:5F-W700-F397-SH1-T

Row Space	Foot Plank	Seats Plank	Length/Seats	Width/Height	CBM	KG		
700	397*50	HDPE	2286/25	3569*1450	0.8	207		
			4572/50	3569*1450	1.6	389		

ID:5F-SH-1

Row Space	Foot Plank	Seats Plank	Length	Width/Height	CBM	KG		
750	Closed	HDPE	6000+1830*N	6330*3448	2.8	760		



Foot Plank	397*50*2 Aluminum Angle	291*50*2 Aluminum Alloy	HDPE	HDPE
				
Live Load	2.81kn/m³	2.06kn/m³	1.77kn/m³	2.13kn/m³